



Transit KA

Trolley



Swivelling castors 01




Contact surfaces 02






A correct flow of materials, whether semi-finished or finished products, or parts in the assembly phase, plays an important role in rationalizing and optimizing the production cycle. The Emmegi Logistics line offers companies a concrete solution to all storage, handling and assembly problems.

Transit KA is a trolley for handling and storing sashes. The base of each compartment has a roller conveyor to make heavy or bulky workpieces easier to handle.



Roller conveyor 03



Transit KA

Trolley

01 Swivelling castors


The trolley has 2 fixed castors and 2 swivelling castors with brakes which ensure great mobility and easy handling. The brakes enable it to be locked in position in the various work areas.

02 Contact surfaces

All contact surfaces are coated with soft anti-slip PVC which prevents damage to them when the profiles are put in position.

03 Roller conveyor

A fixed roller conveyor made up of rollers mounted on a rod may be used to move the frame, thus ensuring smooth movement and easy handling.



TECHNICAL CHARACTERISTICS

Depth (depending on model) (mm)	995 – 1010 – 1160 – 1540 1840 – 2140 – 2220 – 2670
Soft anti-slip PVC contact surfaces	
Depth of compartments (mm)	980
Designed for use with K-Rail	
Number of compartments	5 ÷ 15
Width of compartments D (mm)	100 ÷ 160
Base with roller conveyor	
Push handle	
4 swivelling castors, 2 with brake (mm)	ø 150 mm

2009/05/16

www.tekna.it

The pictures are provided by way of illustration only